



Fun of Cooking



Range of Sujata Appliances









#### Cross Burner Series



Years Warranty\*

on Complete Product

### Robusto CR



2 mm Thick Glossy / Matt Stainless Steel Body

SSCT 4B CR RO 99

L 760 x W 530 x H 70 (mm)

#### Premium CR

Glass Cook Top

8 mm Thick Toughened Glass



SGT 4B CR PR 72

L 750 x W 530 x H 70 (mm)


- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports
- Ergonomically Designed Knob
- Titanium Finish (Black SS) Drip Tray (In Maestro, Premium & Stellar Series)
- 360° Rotating Brass Gas Nozzle
- · Aesthetically Ultra Sleek Design

#### Stellar CR Glass Cook Top



L 710 x W 500 x H 50 (mm)

6 mm Thick Embedded Toughened Glass







\*Only service visit charges, payable after 2 years

Italian Gas Valve

SABAF









Maestro Glass Cook Tops




SGT 4B CR MS 27

L 755 x W 530 x H 50 (mm)



SGT 4B MS 27

L 755 x W 530 x H 50 (mm)



- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Alloy Knob
- Titanium Finish (Black SS) Drip Tray
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design



SGT 3B MS 27

L 755 x W 455 x H 50 (mm)









\*Only service visit charges, payable after 2 years













SGT 4B CR SL 45

L 710 x W 500 x H 50 (mm)



SGT 4B SL 45



L 695 x W 490 x H 50 (mm)



- Embedded 6 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Knob
- Titanium Finish (Black SS) Drip Tray
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design



SGT 3B SL 45

L 755 x W 385 x H 50 (mm)





Italian Gas Valve

SABAF












SGT 4B PR 72

L 750 x W 525 x H 70 (mm)



SGT 3B PR 72 SGT 3B PR 72 NE



L 750 x W 510 x H 70 (mm) L 750 x W 450 x H 70 (mm)




- 8 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Alloy Knob
- Titanium Finish (Black SS) Drip Tray
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design



SGT 2B PR 72








L 700 x W 360 x H 70 (mm)

SABAF











SGT 4B CL 54

L 690 x W 480 x H 70 (mm)



SGT 3B CL 54

L 770 x W 380 x H 70 (mm)



- 8 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design
- Additional Stainless Steel Drip Tray



SGT 2B CL 54

L 700 x W 360 x H 70 (mm)





Italian Gas Valve

SABAF













SGT 3B RG 90

L 750 x W 350 x H 70 (mm)



- 8 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design



SGT 2B RG 90

L 600 x W 320 x H 70 (mm)





SABAF













SGT 4B DX 36 L 585 x W 500 x H 80 (mm)





SGT 3B DX 36

L 685 x W 355 x H 80 (mm)



- 8 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- Heavy Duty Forged Brass Burner
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- Powder Coated Drip Tray



SGT 2B DX 36

L 595 x W 335 x H 80 (mm)





Italian Gas Valve

14

SABAF













SGT 4B ST 18

L 585 x W 500 x H 80 (mm)



SGT 3B ST 18

L 685 x W 355 x H 80 (mm)



- 8 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- Heavy Duty Forged Brass Burner
- Strong & Stable Pan Supports
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- Additional Stainless Steel Drip Tray



SGT 2B ST 18

L 595 x W 290 x H 80 (mm)







17







# Stainless Steel Gastove







SSCT 4B RO 99

L 750 x W 530 x H 70 (mm)



SSCT 3B RO 99

L 780 x W 510 x H 70 (mm)



- 2 mm Thick Glossy S. S. Body
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports
- Ergonomically Designed Alloy Knob
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design



SSCT 2B RO 99

L 630 x W 360 x H 70 (mm)





\*Only service visit charges, payable after 2 years

18

SABAF



Sterno





# Stainless Steel Gastove





SSCT 4B ST 81

L 750 x W 480 x H 70 (mm)





SSCT 3B ST 81

L 780 x W 400 x H 70 (mm)



- 2 mm Thick Glossy S. S. Body
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- · Aesthetically Ultra Sleek Design



SSCT 2B ST 81

L 630 x W 360 x H 70 (mm)





\*Only service visit charges, payable after 2 years

SABAF











SSCT 4B MJ 63

L 700 x W 475 x H 70 (mm)



SSCT 3B MJ 63

L 695 x W 370 x H 70 (mm)



- 1.2 mm Thick Matt S. S. Body
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- · Aesthetically Ultra Sleek Design



SSCT 2B MJ 63

L 595 x W 320 x H 70 (mm)





\*Only service visit charges, payable after 2 years

SABAF









- In-Built Unique Individual Spark Auto Ignition
- Brass Burner Cap
- Fully Sealed Burner to Prevent Spillage
- Ergonomically Designed Alloy Knob
- · High Precision Gas Valve
- Easily Convertible from LPG to PNG
- For Slow Cooking Centre Flame Burning
- Direct Flame Burner Suitable for Indian Style Cooking
- Cast Iron Pan Support with Flame Guard for Gas Saving





Slab Cutting Size L 730 x W 430 (mm)

FB 4B76TP

4B76TP

L 760 x W 450 x H 112 (mm)

Slab Cutting Size L 730 x W 430 (mm)



FB 3B76

L 760 x W 450 x H 112 (mm)



Slab Cutting Size L 730 x W 430 (mm)

L 760 x W 450 x H 112 (mm)





3B76

L 760 x W 450 x H 112 (mm)


\*Only service visit charges, payable after 2 years

on Chromatic Steel Body










4BCR90 FFD

L 900 x W 520 x H 135 (mm)



- · In-Built Multi Spark Auto Ignition
- Full Brass Burner with FFD (Also available without FFD)
- Fully Sealed Brass Burner to Prevent Spillage
- Cast Iron Pan Support with Flame Guard for Gas Saving
- Ergonomically Designed Alloy Knob
- · High Precision Gas Valve
- Easily Convertible from LPG to PNG
- For Slow Cooking Centre Flame Burning
- Direct Flame Burner Suitable for Indian Style Cooking



5B86 FFD

L 860 x W 520 x H 135 (mm)









Palladium FFD
Built in / Hybrid - Hob

Palladium FFD
Built in / Hybrid - Hob



Slab Cutting Size L 825 x W 475 (mm)



Slab Cutting Size L 685 x W 475 (mm)

4BTP86 FFD

L 860 x W 520 x H 135 (mm)

4BTP78 FFD

L 780 x W 520 x H 135 (mm)

Slab Cutting Size L 685 x W 405 (mm)



Slab Cutting Size L 555 x W 475 (mm)



4B60 FFD

L 600 x W 520 x H 135 (mm)



Slab Cutting Size L 685 x W 475 (mm)

4BCR78 FFD L 780 x W 520 x H 135 (mm)



L 600 x W 520 x H 135 (mm)

(h)

(Without FFD)









Indium
Built in / Hybrid - Hob



- 8mm Thick Toughened Glass
- In-Built Multi Spark Auto Ignition
- Brass Burner Cap
- Fully Sealed Burner to Prevent Spillage
- Pan Support with Flame Guard for Gas Saving
- · Ergonomically Designed Alloy Knob
- High Precision Gas Valve
- Easily Convertible from LPG to PNG
- For Slow Cooking Centre Flame Burning
- Direct Flame Burner Suitable for Indian Style Cooking



Slab Cutting Size L 685 x W 475 (mm)

4BCR78

L 780 x W 520 x H 135 (mm)

Slab Cutting Size L 685 x W 475 (mm)



4BTP78

L 780 x W 520 x H 135 (mm)



Slab Cutting Size L 685 x W 405 (mm)

3B78

L 780 x W 450 x H 135 (mm)

Slab Cutting Size L 555 x W 475 (mm)



4B60

L 600 x W 520 x H 135 (mm)



Slab Cutting Size L 555 x W 475 (mm)

3B60 L 600 x W 520 x H 135 (mm)









- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1850 m³/hr
- 220 W BLDC Motor with Overheat Protection for Efficient Performance
- · Oil Collector Inside
- · Energy Saving LED Down Lights
- · Metallic Blower & Housing
- Heat Sensor, Super Silence & Dual Side Operation
- · Available in 90 cm size





- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1650 m³/hr
- 140 W BLDC Motor with Overheat Protection for Efficient Performance
- · Oil Collector Inside
- Energy Saving LED Down Lights
- · Metallic Blower & Housing
- Dual Side Operation
- Available in 90 cm size



\*Only service visit charges, payable after 2 years

on BLDC Motor







Opal BLDC HS
Chimney



Diamond Chimney

- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1750 m³/hr
- 130 W BLDC Motor with Overheat Protection for Efficient Performance
- · Oil Collector Tray
- · Energy Saving LED Down Lights
- · Metallic Blower & Housing
- Heat Sensor & Super Silence
- Available in 60 cm, 75 cm & 90 cm sizes





- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1650 m³/hr
- 130 W BLDC Motor with Overheat Protection for Efficient Performance
- · Oil Collector Tray
- · Energy Saving LED Down Lights
- · Metallic Blower & Housing
- · Low Noise Level
- Available in 60 cm, 75 cm & 90 cm sizes



\*Only service visit charges, payable after 2 years

on BLDC Motor









- Filter Less Dry Heat Auto Clean
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1500 m³/hr
- 180 W Electric Motor with Overheat Protection for Efficient Performance
- Oil Collector Tray
- Energy Saving LED Down Lights
- · Metallic Blower & Housing
- · Low Noise Level
- · Available in 60 cm, 75 cm & 90 cm sizes







- Filter Less Dry Heat Auto Clean
- · 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1750 m³/hr
- 220 W BLDC Motor with Overheat Protection for Efficient Performance
- · Dual Oil Collector
- · Energy Saving LED Down Lights
- Metallic Blower & Housing
- Low Noise Level

on BLDC Motor

- · Body Colour Grey
- Available in 60 cm, 75 cm & 90 cm sizes



\*Only service visit charges, payable after 2 years

\*Only service visit charges, payable after 2 years

on Electric Motor









- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1550 m³/hr
- 130 W BLDC Motor with Overheat Protection for Efficient Performance
- · Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- · Low Noise Level
- · Available in 60 cm, 75 cm & 90 cm sizes





- Filter Less Dry Heat Auto Clean
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1400 m³/hr
- 130 W Electric Motor with Overheat Protection for Efficient Performance
- · Dual Oil Collector
- Energy Saving LED Down Lights
- · Metallic Blower & Housing
- · Low Noise Level
- Available in 60 cm, 75 cm & 90 cm sizes



on BLDC Motor





Garnet Chimney

IS:302-2-31





SCH TH 279

- Filter Less Dry Heat Auto Clean Technology
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1300 m³/hr
- 130 W Electric Motor with Overheat Protection for Efficient Performance
- · Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Low Noise Level
- Available in 60 cm, 75 cm & 90 cm sizes



- Filter Less Dry Heat Auto Clean Technology
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1400 m³/hr
- 180 W Electric Motor with Overheat Protection for Efficient Performance
- · Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- · Low Noise Level
- Available in 60 cm & 90 cm sizes





\*Only service visit charges, payable after 2 years

\*Only service visit charges, payable after 2 years

40

on Electric Motor









- SCH DB 324
  - Filter Less Dry Heat Auto Clean
  - 9 Speed Motion Sensor Panel with Touch Control
  - Maximum Suction 1750 m³/hr
  - 220 W BLDC Motor with Overheat Protection for Efficient Performance
  - · Dual Oil Collector
  - · Energy Saving LED Down Lights
  - · Metallic Blower & Housing
  - · Low Noise Level
  - · Body Colour Grey
  - Available in 60 cm, 75 cm & 90 cm sizes





- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1600 m³/hr
- 110 W BLDC Motor with Overheat Protection for Efficient Performance
- · Dual Oil Collector
- · Energy Saving LED Down Lights
- Metallic Blower & Housing
- · Low Noise Level
- Available in 60 cm, 75 cm & 90 cm sizes



on BLDC Motor










- Filter Less Dry Heat Auto Clean
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1450 m³/hr
- 180 W Electric Motor with Overheat Protection for Efficient Performance
- · Dual Oil Collector
- · Energy Saving LED Down Lights
- Metallic Blower & Housing
- · Low Noise Level
- Available in 60 cm, 75cm & 90 cm sizes





- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1350 m³/hr
- 130 W Electric Motor with Overheat Protection for Efficient Performance
- · Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- · Low Noise Level
- Available in 60 cm, 75 cm & 90 cm sizes





on Electric Motor

<sup>\*</sup>Only service visit charges, payable after 2 years









- Filter Less Dry Heat Auto Clean Technology
- 3 Speed with Push Control
- Maximum Suction 1250 m³/hr
- · 200 W Electric Motor with Overheat Protection for Efficient Performance
- · Dual Oil Collector
- Energy Saving LED Down Lights
- · Low Noise Level
- · Available in 60 cm





- Filter Less Dry Heat Auto Clean
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1250 m3/hr
- · 200 W Electric Motor with Overheat Protection for Efficient Performance
- · Dual Oil Collector
- · Energy Saving LED Down Lights
- Low Noise Level
- · Available in 60 cm, 75 cm & 90 cm size



- · Dual Baffle Filter
- 3 Speed Push Control
- Maximum Suction 1000 m³/hr
- · 100 W Electric Motor with Overheat Protection for Efficient Performance
- Energy Saving LED Down Lights
- · Low Noise Level
- · Available in 60 cm







SCH PY 306

\*Only service visit charges, payable after 2 years

46

on Electric Motor



#### Fumes Free Kitchen



Printed at Thomson Press (Haryana). June 2025

#### **Customer Care**



1800-1022-758 (9:30 AM to 6:30 PM)



+91 97113 22758



sujatacare@sujatamail.com



House of Sujata





Follow us on

