



Fun of Cooking



Range of Sujata Appliances









Cross Burner Series







- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports
- Ergonomically Designed Knob
- Titanium Finish (Black SS) Drip Tray (In Maestro, Premium & Stellar Series)
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design



Robusto CR S. S. Cook Top



2 mm Thick Glossy / Matt Stainless Steel Body

SSCT 4B CR RO 99

L 760 x W 530 x H 70 (mm)

Premium CR

Glass Cook Top

8 mm Thick Toughened Glass




SGT 4B CR PR 72

L 750 x W 530 x H 70 (mm)

Stellar CR Glass Cook Top



6 mm Thick Embedded Toughened Glass



L 710 x W 500 x H 50 (mm)









Embedded Glass Gastove



Maestro Glass Cook Tops



SABAF*

Italian Gas Valve

on Complete Product incl. Toughened Glass

- Embedded 6 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Alloy Knob
- Titanium Finish (Black SS) Drip Tray
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design





SGT 4B CR MS 27

L 755 x W 530 x H 50 (mm)



SGT 4B MS 27

L 755 x W 530 x H 50 (mm)



SGT 3B MS 27

L 755 x W 455 x H 50 (mm)









Embedded Glass Gastove



Stellar Glass Cook Tops





• Titanium Finish (Black SS) Drip Tray • 360° Rotating Brass Gas Nozzle

• Aesthetically Ultra Sleek Design

• SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG

• Embedded 6 mm Thick Toughened Glass

- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Knob





SGT 4B CR SL 45

L 710 x W 500 x H 50 (mm)



SGT 4B SL 45

L 695 x W 490 x H 50 (mm)



SGT 3B SL 45

L 755 x W 385 x H 50 (mm)











Premium
Glass Cook Tops



Italian Gas Valve incl. Toughened Glass

- 8 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Alloy Knob
- Titanium Finish (Black SS) Drip Tray
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design







SGT 4B PR 72

L 750 x W 525 x H 70 (mm)



SGT 3B PR 72 SGT 3B PR 72 NE

L 750 x W 510 x H 70 (mm) L 750 x W 450 x H 70 (mm)



SGT 2B PR 72


L 700 x W 360 x H 70 (mm)











Classic
Glass Cook Tops





• Aesthetica

- 8 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design
- Additional Stainless Steel Drip Tray





SGT 4B CL 54

L 690 x W 480 x H 70 (mm)



SGT 3B CL 54

L 770 x W 380 x H 70 (mm)



SGT 2B CL 54

L 700 x W 360 x H 70 (mm)











Regal
Glass Cook Tops



incl. Toughened Glass

- 8 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design







SGT 4B RG 90

L 675 x W 480 x H 70 (mm)



SGT 3B RG 90

L 750 x W 350 x H 70 (mm)



SGT 2B RG 90

L 600 x W 320 x H 70 (mm)















• 8 mm Thick Toughened Glass

- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- Heavy Duty Forged Brass Burner
- Strong & Stable Pan Supports with Flame Guard for Gas Saving
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- Powder Coated Drip Tray







SGT 4B DX 36

L 585 x W 500 x H 80 (mm)



SGT 3B DX 36

L 685 x W 355 x H 80 (mm)



SGT 2B DX 36

L 595 x W 335 x H 80 (mm)











Standard
Glass Cook Tops





- 8 mm Thick Toughened Glass
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- Heavy Duty Forged Brass Burner
- Strong & Stable Pan Supports
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- Additional Stainless Steel Drip Tray





SGT 4B ST 18

L 585 x W 500 x H 80 (mm)



SGT 3B ST 18

L 685 x W 355 x H 80 (mm)



SGT 2B ST 18

L 595 x W 290 x H 80 (mm)

















- 2 mm Thick Glossy S. S. Body
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports
- Ergonomically Designed Alloy Knob
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design





SSCT 4B RO 99

L 750 x W 530 x H 70 (mm)



SSCT 3B RO 99

L 780 x W 510 x H 70 (mm)





L 630 x W 360 x H 70 (mm)











Stainless Steel Gastove



Sterno
S. S. Cook Tops





- 2 mm Thick Glossy S. S. Body
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design





SSCT 4B ST 81

L 750 x W 480 x H 70 (mm)



SSCT 3B ST 81

L 780 x W 400 x H 70 (mm)



SSCT 2B ST 81

L 630 x W 360 x H 70 (mm)





Fitted with 1

Jumbo
Burner





Stainless Steel Gastove



Majestic S. S. Cook Tops





- 1.2 mm Thick Matt S. S. Body
- SABAF Gas Valve for Longer Life & Easy Conversion from LPG to PNG
- 5G Designed Forged Brass Burner, Direct Flame for Indian Style Cooking
- Strong & Stable Pan Supports
- Ergonomically Designed Knob
- 360° Rotating Brass Gas Nozzle
- Aesthetically Ultra Sleek Design





SSCT 4B MJ 63

L 700 x W 475 x H 70 (mm)



SSCT 3B MJ 63

L 695 x W 370 x H 70 (mm)





L 595 x W 320 x H 70 (mm)









Built in / Hybrid - Hobs



- 2 mm Premium Chromatic Steel Panel
- In-Built Unique Individual Spark Auto Ignition
- Brass Burner Cap
- Fully Sealed Burner to Prevent Spillage
- Ergonomically Designed Alloy Knob
- High Precision Gas Valve
- Easily Convertible from LPG to PNG
- For Slow Cooking Centre Flame Burning
- Direct Flame Burner Suitable for Indian Style Cooking
- Cast Iron Pan Support with Flame Guard for Gas Saving









Slab Cutting Size L 730 x W 430 (mm)

FB 4B76TP

L 760 x W 450 x H 112 (mm)

Slab Cutting Size L 730 x W 430 (mm)



FB 3B76


L 760 x W 450 x H 112 (mm)



Slab Cutting Size L 730 x W 430 (mm)

4B76TP

L 760 x W 450 x H 112 (mm)






3B76

L 760 x W 450 x H 112 (mm)



Built in / Hybrid - Hobs





- 8mm Thick Matt Finish Toughened Glass
- In-Built Multi Spark Auto Ignition
- Full Brass Burner with FFD (Also available without FFD)
- Fully Sealed Brass Burner to Prevent Spillage
- Cast Iron Pan Support with Flame Guard for Gas Saving
- Ergonomically Designed Alloy Knob
- High Precision Gas Valve
- Easily Convertible from LPG to PNG
- For Slow Cooking Centre Flame Burning
- Direct Flame Burner Suitable for Indian Style Cooking





4BCR90 FFD

L 900 x W 520 x H 135 (mm)



5B86 FFD

L 860 x W 520 x H 135 (mm)





Built in / Hybrid - Hobs

Palladium FFD Built in / Hybrid - Hob



Slab Cutting Size L 825 x W 475 (mm)

4BTP86 FFD

L 860 x W 520 x H 135 (mm)

Slab Cutting Size L 685 x W 405 (mm)



3B78 FFD

L 780 x W 450 x H 135 (mm)



Slab Cutting Size L 685 x W 475 (mm)

4BCR78 FFD

L 780 x W 520 x H 135 (mm)



Palladium FFD Built in / Hybrid - Hob



Slab Cutting Size L 685 x W 475 (mm)

4BTP78 FFD

L 780 x W 520 x H 135 (mm)

Slab Cutting Size L 555 x W 475 (mm)



4B60 FFD

L 600 x W 520 x H 135 (mm)



Slab Cutting Size L 555 x W 475 (mm)

3B60 (Without FFD) L 600 x W 520 x H 135 (mm)





Built in / Hybrid - Hobs



Indium
Built in / Hybrid - Hob



- 8mm Thick Toughened Glass
- In-Built Multi Spark Auto Ignition
- Brass Burner Cap
- Fully Sealed Burner to Prevent Spillage
- Pan Support with Flame Guard for Gas Saving
- Ergonomically Designed Alloy Knob
- High Precision Gas Valve
- Easily Convertible from LPG to PNG
- For Slow Cooking Centre Flame Burning
- Direct Flame Burner Suitable for Indian Style Cooking





Slab Cutting Size L 685 x W 475 (mm)

4BCR78

L 780 x W 520 x H 135 (mm)

Slab Cutting Size L 685 x W 475 (mm)



4BTP78

L 780 x W 520 x H 135 (mm)



Slab Cutting Size L 685 x W 405 (mm)

3B78


L 780 x W 450 x H 135 (mm)

Slab Cutting Size L 555 x W 475 (mm)



4B60

L 600 x W 520 x H 135 (mm)



Slab Cutting Size L 555 x W 475 (mm)

3B60

L 600 x W 520 x H 135 (mm)





- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1850 m³/hr
- 220 W BLDC Motor with Overheat Protection for Efficient Performance
- Oil Collector Inside
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Heat Sensor, Super Silence & Dual Side Operation
- Available in 90 cm size









- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1650 m³/hr
- 140 W BLDC Motor with Overheat Protection for Efficient Performance
- Oil Collector Inside
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Dual Side Operation
- Available in 90 cm size









Opal BLDC HS
Chimney

- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1750 m³/hr
- 130 W BLDC Motor with Overheat Protection for Efficient Performance
- Oil Collector Tray
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Heat Sensor & Super Silence
- Available in 60 cm, 75 cm & 90 cm sizes









- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1650 m³/hr
- 130 W BLDC Motor with Overheat Protection for Efficient Performance
- Oil Collector Tray
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Low Noise Level
- Available in 60 cm, 75 cm & 90 cm sizes





*Only service visit charges, payable after 2 years





Topaz
Chimney

- Filter Less Dry Heat Auto Clean
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1500 m³/hr
- 180 W Electric Motor with Overheat Protection for Efficient Performance
- Oil Collector Tray
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Low Noise Level
- Available in 60 cm, 75 cm & 90 cm sizes









- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1750 m³/hr
- 220 W BLDC Motor with Overheat Protection for Efficient Performance
- Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Low Noise Level
- Body Colour Grey
- Available in 60 cm, 75 cm & 90 cm sizes









- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1550 m³/hr
- 130 W BLDC Motor with Overheat Protection for Efficient Performance
- Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Low Noise Level
- Available in 60 cm, 75 cm & 90 cm sizes









- SCH TH 252
 - Filter Less Dry Heat Auto Clean
 - 3 Speed Motion Sensor Panel with Touch Control
 - Maximum Suction 1400 m³/hr
 - 130 W Electric Motor with Overheat Protection for Efficient Performance
 - Dual Oil Collector
 - Energy Saving LED Down Lights
 - Metallic Blower & Housing
 - Low Noise Level
 - Available in 60 cm, 75 cm & 90 cm sizes









SCH TH 261

- Filter Less Dry Heat Auto Clean Technology
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1300 m³/hr
- 130 W Electric Motor with Overheat Protection for Efficient Performance
- Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Low Noise Level
- Available in 60 cm, 75 cm & 90 cm sizes









- Filter Less Dry Heat Auto Clean Technology
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1400 m³/hr
- 180 W Electric Motor with Overheat Protection for Efficient Performance
- Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Low Noise Level
- Available in 60 cm & 90 cm sizes









- SCH DB 324
 - Filter Less Dry Heat Auto Clean
 - 9 Speed Motion Sensor Panel with Touch Control
 - Maximum Suction 1750 m³/hr
 - 220 W BLDC Motor with Overheat Protection for Efficient Performance
 - Dual Oil Collector
 - Energy Saving LED Down Lights
 - Metallic Blower & Housing
 - Low Noise Level
 - Body Colour Grey
 - Available in 60 cm, 75 cm & 90 cm sizes









- Filter Less Dry Heat Auto Clean
- 9 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1600 m³/hr
- 110 W BLDC Motor with Overheat Protection for Efficient Performance
- Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Low Noise Level
- Available in 60 cm, 75 cm & 90 cm sizes









- Filter Less Dry Heat Auto Clean
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1450 m³/hr
- 180 W Electric Motor with Overheat Protection for Efficient Performance
- Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing
- Low Noise Level
- Available in 60 cm, 75cm & 90 cm sizes






*Only service visit charges, payable after 2 years





- Filter Less Dry Heat Auto Clean
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1350 m³/hr
- 130 W Electric Motor with Overheat Protection for Efficient Performance
- Dual Oil Collector
- Energy Saving LED Down Lights
- Metallic Blower & Housing

on Electric Motor









- Filter Less Dry Heat Auto Clean
- 3 Speed Motion Sensor Panel with Touch Control
- Maximum Suction 1250 m3/hr
- 200 W Electric Motor with Overheat Protection for Efficient Performance
- Dual Oil Collector
- Energy Saving LED Down Lights
- Low Noise Level
- Available in 60 cm, 75 cm & 90 cm size









- Filter Less Dry Heat Auto Clean Technology
- 3 Speed with Push Control
- Maximum Suction 1250 m³/hr
- 200 W Electric Motor with Overheat Protection for Efficient Performance
- Dual Oil Collector
- Energy Saving LED Down Lights
- Low Noise Level
- Available in 60 cm





- Dual Baffle Filter
- 3 Speed Push Control
- Maximum Suction 1000 m³/hr
- 100 W Electric Motor with Overheat Protection for Efficient Performance
- Energy Saving LED Down Lights
- Low Noise Level
- Available in 60 cm









Fumes Free Kitchen



Printed at Thomson Press (Haryana). June 2025

Customer Care



1800-1022-758 (9:30 AM to 6:30 PM)



+91 97113 22758



sujatacare@sujatamail.com













Follow us on

